

<p><b>1. Product:</b></p> <p>Trade Name: Spaandex</p> <p>Field of application: Wood-based panels (particleboard) for furniture, interior fitment or used as flooring, wallcoverings and ceilings.</p> <p>Manufacturer : Kronospan ApS / Novopan Træindustri Fabriksvej 2, Pindstrup DK - 8550 Ryomgård Tel: (+45) 8 9 74 74 74 Fax no .: (+45) 89 74 75 76</p>	<p><b>9. Physical and chemical properties</b></p> <p>Product form: The product is in solid form</p> <p>Appearance: -</p> <p>pH: -</p> <p>Smell: -</p> <p>Boiling point (°C): -</p> <p>Melting point (°C): -</p> <p>Density (g / ml): -</p> <p>Flash point (°C): -</p> <p>Solubility in water: -</p>
<p><b>2. Composition / information on ingredients</b></p> <p><u>2.a Spaandex for use in dry conditions</u> Wood: app. 80 - 82% Ureaformaldehydesin: app. 9 -11 % Water: app. 6 - 8 % Urea (CAS No. 57-13-6): &lt; 1.0 % Hardener (ammonium nitrate) CAS No. 6484-52-2: &lt;0.5% Emulsion (paraffin emulsified in water): &lt;0.5 %</p> <p><u>2.b Spaandex for use in humid conditions.</u> Wood: app. 80 - 82% MelamineUreaformaldehydesin: app. 9 - 11 % Water: app. 6- 8% Urea (CAS No. 57-13-6): &lt;1.0% Hardener (ammonium nitrate) CAS No. 6484-52-2: &lt;0.5% Emulsion (paraffin emulsified in water): &lt;0.5%</p> <p><u>2.c Spaandex with melamine coating</u> Wood: app. 80-82 % Ureaformaldehydesin or Melamineureaformaldehydesin: app. 9 -11 % Water: app. 6- 8% Urea (CAS No. 57-13-6): &lt;1.0% Hardener (ammonium nitrate) CAS No. 6484-52-2: &lt;0.5% Emulsion (paraffin emulsified in water): &lt;0.5%</p> <p>Melamineresincoated paper incl. malamineresin: app. 300 to 400 g / m<sup>2</sup> board</p>	<p><b>10. Stability and reactivity</b></p> <p>Stability: Stable under normal circumstances. Conditions to avoid: None known Materials to avoid: None known Hazardous decomposition products: None known</p>
<p><b>3. Hazard identification</b></p> <p>The product must not be classified according to the Danish Ministry of Environment's Executive Order on Classification, Labeling, etc.</p>	<p><b>11. Toxicological properties</b></p> <p>Acute toxicity: - Inhalation: - Skin contact: - Eye contact: - Ingestion: -</p>
<p><b>4. First aid</b></p> <p>Skin: - Eyes: - Inhalation: - Ingestion: -</p>	<p><b>12. Environmental Information</b></p> <p>The aquatic environment: Other ecosystems: Degradation: Bioaccumulation: Other information:</p>

<p><b><u>5. Firefighting</u></b></p> <p>Like wood - use water.</p>	<p><b><u>13. Disposal</u></b></p> <p>The product can be recycled</p>
<p><b><u>6. Accidental release measures</u></b></p> <p>-</p>	<p><b><u>14. Transport information</u></b></p> <p>The product is not covered by the regulations for the transport of dangerous goods according to ADR, RID and IMDG.</p>
<p><b><u>7. Handling and storage</u></b></p> <p><u>Handling</u> See section 8 for information about precautions for use and personal protective equipment.</p> <p><u>Storage</u> Store dry</p>	<p><b><u>15. Regulatory information</u></b></p> <p>Classification: The product must not be classified according to the Danish Ministry of the Environment's Executive Order on Classification, Labeling, etc. Application restrictions: none Requirements for special education: None MAL code (1993): -</p>
<p><b><u>8. Exposure controls / personal protection</u></b></p> <p>Respiratory protection: - Gloves and protective clothing: When handling melamine-coated items, use gloves (cat.2, EN 388) Eye protection: - Limit values: -</p>	<p><b><u>16. Other information</u></b></p> <p>During machining: Attention to limit values for wood dust.</p> <p>Revision data: 12/01-2022 / HES Replaces data sheet from: 07/02-2019 / HES -</p>